


VACO

BREAK-PROOF
SHOCK-PROOF

Screw Drivers

- Chrome Vanadium Steel Blades
- Fire-Safe Amberyl Shock and Break-Proof Handles



1/8" Cabinet Style—Round Blades

Stock Number	Blade Diameter and Length
A 216-4	1/8"x4"
A 216-6	1/8"x6"
A 216-8	1/8"x8"
A 216-10	1/8"x10"

3/16" Cabinet Style—Round Blades

Stock Number	Blade Diameter and Length
A 316-4	3/16"x4"
A 316-5	3/16"x5"
A 316-6	3/16"x6"
A 316-8	3/16"x8"
A 316-10	3/16"x10"

1/4" General Service—Round Blades


Stock Number	Blade Diameter and Length
A 416-4	1/4"x4"
A 416-5	1/4"x5"
A 416-6	1/4"x6"
A 416-8	1/4"x8"
A 416-10	1/4"x10"

5/16" Heavy Duty—Round Blades

Stock Number	Blade Diameter and Length
A 516-6	5/16"x6"
A 516-8	5/16"x8"
A 516-10	5/16"x10"

Stubbys

Stock Number	Blade Diameter and Length
A 132	1/4"x1-1/4"
A 135	5/16"x1-3/4"



Offset Screw Drivers

Stock No.	Type
VO 1	Regular
VO 2	Regular
P 120	Phillips
P 111	Phillips
P 222	Phillips

Phillips Drivers

Stock Number	Point No. and Length	Blade Diam. and Length
P 01	0	1/8"x2-1/2"
P 1	1	3/16"x3"
P 2	2	1/4"x4"
P 3	3	5/16"x6"
P 5 (Stub)	2	1/4"x1-3/4"
P 6 (Stub)	1	3/16"x1-1/4"
P 12 (Pocket Clip)	1	1/8"x2-1/2"

Clutch Head Drivers

Stock Number	Bit Point Diameter and Blade Length
CH 43	1/8"x3"
CH 54	5/32"x4-1/4"
CH 64	3/16"x4-1/4"
CH 86	1/4"x6"
CH 106	5/16"x6"

Stub Styles

Stock Number	Blade Diameter and Length
CH 51	5/32"x1-1/2"
CH 61	3/16"x1-1/2"


Screw Holding Drivers

Stock Number	Blade Diam. & Length
OK 23	1/8"x3"
OK 24	1/8"x4"
OK 26	1/8"x6"
OK 28	1/8"x8"
OK 34	3/16"x4"
OK 36	3/16"x6"
OK 38	3/16"x8"

Offset Screw Drivers

Stock No.	Type	Blade
VO 1	Regular	5/32"x3"
VO 2	Regular	1/4"x4"
P 120	Phillips	#1 point one end, #2 point other end
P 111	Phillips	#1 point both ends
P 222	Phillips	#2 point both ends

NUT DRIVERS



Wall or Bench Stand Nut Driver Sets ... 3/16" to 1/2"

Stock No.	Contains:
S 700	7 Nut Drivers, Color Coded Handles
S 500	5 Standard Nut Drivers



Electrolytic Condenser Nut Wrenches

Stock No.	Takes Size:
S 32	31/32"
S 34	1"
S 36	1-5/32"

Deluxe Super Hard Nut Drivers (Color Coded)

Stock No.	Hexagon Size (Across Flats)	Overall Length	Color Code
S 61	3/16"	6-3/4"	Brown
S 82	1/4"	6-3/4"	Red
S 103	5/16"	6-3/4"	Green
S 114	11/32"	6-3/4"	Ivory
S 125	3/8"	6-3/4"	Blue
S 146	7/16"	6-3/4"	Orange
S 167	1/2"	6-3/4"	Yellow

All Hollow Shaft Nut Drivers

Stock No.	Hexagon Size (Across Flats)	Handle Diam. and Length	Overall Length
S 160	1/2"	1"x3-5/8"	7"
S 180	9/16"	1"x3-5/8"	7"


Standard Extra Hard Nut Drivers

Stock Number	Hexagon Size (Across Flats)	Overall Length
S 5	5/32"	6-3/4"
S 6	3/16"	6-3/4"
S 7	7/32"	6-3/4"
S 8	1/4"	6-3/4"
S 9	9/32"	6-3/4"
S 10	5/16"	6-3/4"
S 11	11/32"	6-3/4"
S 12	3/8"	6-3/4"
S 14	7/16"	6-3/4"
S 15	15/32"	6-3/4"
S 16	1/2"	6-3/4"

Extra Large Size

Stock Number	Hexagon Size (Across Flats)	Overall Length
S 17	17/32"	8"
S 18	9/16"	8"
S 19	19/32"	8"
S 20	5/8"	8"

Beryllium Copper Drivers



Round Blade, Non-Spark, Non-Magnetic


Stock Number	Blade Diameter and Length
VB 26	1/8"x6"
VB 210	1/8"x10"
VB 38	3/16"x8"
VB 46	1/4"x6"
VB 48	1/4"x8"

Insulated Blade Screw Drivers



VR 241	1/8"x4"
VR 261	1/8"x6"
VR 281	1/8"x8"
VR 361	3/16"x6"
VR 381	3/16"x8"


Non-Metallic Radio and TV Aligners



Bone Fiber Blade

AT 55	5/32"x5"
AT 510	5/32"x10"

Non-Magnetic Metal Tip Radio and TV Aligner




Stock Number	Body Size	Bit Diameter	Capacitance
AT 45	3/8"x5-1/2"	3/16"	Slight

Neon Light Screw Drivers




Stock Number	Blade Diameter and Length
AN 44	1/4"x4"
AN 2 (Pocket Clip)	1/8"x3"

Duplex "Reversible" Drivers



Stock Number	Blade Size and Type
DU 2	No. 1 Phillips, One End 3/16" Regular, Other End
DUH 4	No. 2 Phillips, One End 1/4" Regular, Other End
DUP 12	No. 1 Phillips, One End No. 2 Phillips, Other End


VACO RADIO and TV KITS



ZBX 51

ZBX 51 Screw Driver Kit


A fine, all-purpose kit of interchangeable regular and Phillips blades that fit same handle. 6" extension makes 10 combinations possible. In durable leatherette bag.



ZSX 61

ZSX 61 Nut Driver Kit

A most versatile and complete hexagon wrench kit for radio, television or any other work requiring speedy nut setting. All sockets are super hard for maximum utility and long life. 6" extension makes 10 blade lengths possible. In handy leatherette tool roll.




ZA 70

ZA 70 Allen Driver Kit

This useful kit consists of 6 hexagon drivers, handle and bag. Will service hexagon recessed opening screws Nos. 4, 5, 6, 8, 10, 1/4", 5/16" and 3/8". Each bit is extra long and may ground back as wear occurs.

ZU 75 Universal Driver Kit


Here is a kit that is universal in its applications since it will serve all three types of the most popular screws in use today—regular slotted, Phillips, and clutch head. All popular size blades are included—3/16" and 1/4" for regular slotted screws; No. 1 and No. 2 Phillips; 5/32" x 3/16" clutch head.




ZU 75

27-Piece TV and Radio Kit

NO. TV 27 KIT—Contains practically every hand tool necessary for television and radio work, *plus* extra pockets for pliers and other personal tools according to individual preferences. Contains one each of the following: ZH 1 medium duty handle; ZH 2 heavy duty handle; ZX 56 extension; A 132 1/4" stub; 1/4", 3/16", 1/8" regular bits; No. 1 Phillips and No. 2 Phillips bits; 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2" hex. wrenches; AT 45 metal tip aligner; A 116-2 3/32" pocket clip; P 01 #0 Phillips thin blade; OK 24 1/8" screw holding; VR 261 1/8" insulated blade; OK 38 3/16" screw holding; VR 381 3/16" insulated blade; VB 210 1/8" x 10" non-magnetic adjuster; AT 510 5/32" fiber aligner; VO 2 medium offset; VO 1 small offset.



TV 27



RT 14

14-Piece TV and Radio Kit

NO. RT 14 KIT—Here's a handy, convenient kit for radio and TV service men. Contains nut drivers, Phillips and regular drivers, plus ZH 2 heavy duty handle and famous Vaco 6" extension which doubles the usefulness of each driver. In durable leatherette tool roll.

VACO PRODUCTS CO., 317 E. Ontario St., Chicago 11, Illinois

In Southwest: 1325 McKinney Ave., Dallas 2, Texas


In Canada: Vaco-Lynn Products Co., Ltd., 204 Laurier Ave. W., Montreal 8, Quebec

LYNN Lightning Solderless Terminals by VACO


Wide Assortment of Solderless Terminals for General Use, Radio and TV

No. 2195 Service Kit

A GENERAL PURPOSE ELECTRICAL, RADIO AND TV KIT containing everything needed for making clean, fast, trouble-free electrical connections. No soldering! No fuss or muss! Kit includes . . . No. 1900 Crimping Tool and Terminals Nos. 2300, 2301, 2302, 2400, 2401, 2402, 2600, 2601, 2602, and 3300 . . . all in a clear plastic box with tight-fitting lid. Individual bins marked with terminal stock number cards.



No. 1900 Crimping Tool



No solder...no iron...no heating...a perfect connection every time with this tool and Lynn Lightning Solderless Terminals by Vaco! Crimping tool has wire cutters, indenting die, wire-stripping die, shock-proof, slip-proof plastic handle sleeves. For No. 22 to No. 10 gauge wire.


Only 3 SIMPLE STEPS and Terminal Is On



1. Cut Wire. Use the wire cutter built into the crimping tool to cut wire proper length.



2. Strip Wire. Insert end of wire into proper wire stripping opening, close jaws, rotate tool one-half turn, then pull insulation off wire.



3. Crimp Terminal. Insert stripped portion of wire into terminal barrel, place barrel in proper crimping nest with seam directly opposite crimping tooth and close tool like pliers.


Extra long barrel on terminal provides easy crimp and perfect contact. Only ONE crimp necessary. Barrel always remains round.

Quick Reference Chart for Easy Terminal Identification

RING TONGUE TERMINALS




No. 2300 Hole Dia. — 5/32" Stud Size — 4 - 6 Wire Size — 22 - 16	No. 2301 Hole Dia. — 5/32" Stud Size — 4 - 6 Wire Size — 22 - 16	No. 2302 Hole Dia. — 13/64" Stud Size — 8 - 10 Wire Size — 22 - 16	No. 2303 Hole Dia. — 17/64" Stud Size — 12 - 1/4 Wire Size — 22 - 16	No. 2304 Hole Dia. — 13/32" Stud Size — 3/8 Wire Size — 22 - 16	No. 2400 Hole Dia. — 5/32" Stud Size — 4 - 6 Wire Size — 16 - 14	No. 2401 Hole Dia. — 5/32" Stud Size — 4 - 6 Wire Size — 16 - 14
---	---	---	---	--	---	---



No. 2402 Hole Dia. — 13/64" Stud Size — 8 - 10 Wire Size — 16 - 14	No. 2403 Hole Dia. — 17/64" Stud Size — 12 - 1/4 Wire Size — 16 - 14	No. 2404 Hole Dia. — 13/32" Stud Size — 3/8 Wire Size — 16 - 14	No. 2502 Hole Dia. — 13/64" Stud Size — 8 - 10 Wire Size — 12 - 10	No. 2503 Hole Dia. — 17/64" Stud Size — 12 - 1/4 Wire Size — 12 - 10	No. 2504 Hole Dia. — 13/32" Stud Size — 3/8 Wire Size — 12 - 10
---	---	--	---	---	--

SPADE TONGUE TERMINALS



No. 2600 Slot Dia. — 5/32" Stud Size — 4 - 6 Wire Size — 22 - 16	No. 2601 Slot Dia. — 5/32" Stud Size — 4 - 6 Wire Size — 16 - 14	No. 2602 Slot Dia. — 13/64" Stud Size — 8 - 10 Wire Size — 16 - 14	No. 2702 Slot Dia. — 13/64" Stud Size — 8 - 10 Wire Size — 12 - 10
---	---	---	---

FLAG TYPE TERMINALS




No. 2802 Hole Dia. — 13/64" Stud Size — 8 - 10 Wire Size — 22 - 16	No. 2902 Hole Dia. — 13/64" Stud Size — 8 - 10 Wire Size — 16 - 14	No. 3002 Hole Dia. — 13/64" Stud Size — 8 - 10 Wire Size — 12 - 10
---	---	---

HOOK TYPE TERMINAL



No. 3300 Slot Dia. — 5/32" Stud Size — 4 - 6 Wire Size — 22 - 16

BUTT CONNECTORS



No. 3101 Wire Size — 22 - 16	No. 3102 Wire Size — 16 - 14	No. 3103 Wire Size — 12 - 10
---------------------------------	---------------------------------	---------------------------------

CONVENIENT \$ PAK



All Lynn Lightning Terminals are available in convenient \$ Paks. When any of the "bins" of the service kit are empty, user merely purchases a refill just right for replacing stock. Refill Paks are well marked for trouble-free handling, and designed with "window" for easy identification.

BULK PAK



Also available in bulk—packed 250 pieces to a package, 4 packages to master carton of 1,000.

VACO PRODUCTS CO. • 317 East Ontario Street • Chicago 11, Illinois, U.S.A.